

Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 000196	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 B. WING _____	(X3) DATE SURVEY COMPLETED 09/07/2012
NAME OF PROVIDER OR SUPPLIER MILLER'S MERRY MANOR		STREET ADDRESS, CITY, STATE, ZIP CODE 5909 LUTE RD PORTAGE, IN 46368		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
K 000	<p>INITIAL COMMENTS</p> <p>A Quality Assurance Walk-thru Survey was conducted by the Indiana State Department of Health.</p> <p>Survey Date: 09/07/12</p> <p>Facility Number: 000196 Provider Number: 155299 AIM Number: 100267390</p> <p>Surveyor: Robert Sutton, Life Safety Code Specialist Trainee</p> <p>At this Quality Assurance Walk-thru survey, Millers Merry Manor was found in compliance with 410 IAC 16.2-3.1-19(ff).</p> <p>This one story facility was determined to be Type V (111) construction and fully sprinklered. The facility has a fire alarm system with smoke detection in the corridors, and areas open to the corridors with battery operated smoke detectors in the resident rooms. The facility has a capacity of 66 and had a census of 56 at the time of this visit.</p> <p>The facility was in compliance with state law in regard to sprinkler coverage and smoke detector coverage.</p> <p>All areas where residents have customary access were sprinklered and all areas providing facility services were sprinklered.</p> <p>Quality Review by Robert Booher, REHS, Life Safety Code Specialist-Medical Surveyor on 09/19/12.</p>	K 000		

Indiana State Department of Health

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

6899

HYFQ21

If continuation sheet 1 of 1